

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



별첨 사본은 아래 출원의 원본과 동일함을 증명함.

This is to certify that the following application annexed hereto is a true copy from the records of the Korean Intellectual Property Office.

출원 번호 : 10-2003-0004556
Application Number

출원 년 월 일 : 2003년 01월 23일
Date of Application JAN 23, 2003


출원 인 : 김동
Applicant(s) KIM, DONG



2004 년 01 월 20 일

특 허 청

COMMISSIONER



【서지사항】

【서류명】 특허출원서
 【권리구분】 특허
 【수신처】 특허청장
 【제출일자】 2003.01.23
 【발명의 명칭】 앨범 대지
 【발명의 영문명칭】 Pasteboard for Album

【출원인】
 【성명】 김동
 【출원인코드】 4-1995-051257-2

【대리인】
 【성명】 이종완
 【대리인코드】 9-1998-000320-3
 【포괄위임등록번호】 2003-004527-1

【발명자】
 【성명】 김동
 【출원인코드】 4-1995-051257-2

【취지】 특허법 제42조의 규정에 의하여 위와 같이 출원합니다. 대리인 이종완 (인)

【수수료】
 【기본출원료】 10 면 29,000 원
 【가산출원료】 0 면 0 원
 【우선권주장료】 0 건 0 원
 【심사청구료】 0 항 0 원
 【합계】 29,000 원
 【감면사유】 개인 (70%감면)
 【감면후 수수료】 8,700 원
 【첨부서류】 1. 요약서·명세서(도면)_1통

**【요약서】****【요약】**

본 발명은, 앨범 대지 본체에 사진을 부착하기 위한 점착제층을 형성시키고 점착제층을 형성시킨 대지 본체의 표면에 사진을 부착하고 그 외부를 간지로 보호하도록 하여서 된 앨범 대지에 관한 것으로, 본체에 형성시키는 점착제층을 점착력이 큰 점착제로 형성시키어 점착제층이 대지의 표면적을 점유하는 비율을 감소시키어, 사진을 부착한 앨범 대지의 여백에 설명 등의 메모를 할 수 있게 하며, 앨범 대지 본체의 표면부에 설치하는 간지는 그 표면에 이형제층을 형성시키되, 이형제층을 형성시킨 간지의 표면을 망상의 돌조가 형성된 로올러로 압착하여 간지의 표면에 다수의 요홈부를 형성시킴으로써 간지의 돌출 표면적을 감소시켜 간지가 앨범 대지로부터 용이하게 이탈될 수 있게 하여 간지를 포함한 앨범 대지가 환경친화적인 종이 제품으로 구성될 수 있게 한 것임.

【대표도】

도 1



【명세서】

【발명의 명칭】

앨범 대지{Pasteboard for Album}

【도면의 간단한 설명】

도 1 은 본 발명의 앨범 대지를 분리도시한 사시도

도 2 는 본 발명의 간지를 발체 도시한 확대 단면도

<도면의 주요 부분에 대한 부호의 설명>

- | | |
|-----------|----------|
| 1. 앨범대지본체 | 2. 간지 |
| 11. 점착제층 | 21. 이형제층 |
| 22. 요홈부 | |

【발명의 상세한 설명】

【발명의 목적】

【발명이 속하는 기술분야 및 그 분야의 종래기술】

<7> 본 발명은, 앨범 대지 본체의 표면에 간지를 설치하여서 된 앨범 대지에 관한 것으로, 특히, 앨범 대지 본체에 사진을 부착하기 위한 점착제층을 형성시키고 점착제층을 형성시킨 대지의 표면에 사진 등의 기록물을 부착하고 그 외부로 간지로 덮도록 하여서 된 이른 바, 자착식 앨범대지에 관한 것이다.



<8> 이와 같은 종래의 자착식 앨범에 있어서는 점착제층이 형성된 앨범의 표면에 사진을 붙이고 그 외부를 투명의 커버로 덮으면, 투명한 커버를 통하여 사진을 감상할 수 있어, 사진의 탈부착과 사진의 감상이 매우 편리한 효과가 있었다. 그러나, 이러한 종래의 자착식 앨범은 그 대지에 점착제가 조밀하게 도포되어 있어 사진을 부착하고 나서 그 주위에 여백이 있다 하더라도 이에 글씨를 쓰는 일을 생각할 수 없었으며 또한 커버가 투명한 합성수지로 되어 있어서 커버에 글씨를 쓰는 일 또한 곤란한 결점이 있었다. 뿐만 아니라 이러한 종래의 자착식 앨범은 커버가 앨범대지의 각면에 설치됨으로 앨범의 제조원가가 높고, 그 재질이 합성수지로 되어 있어서 이를 폐기하는 경우 환경을 훼손하는 결점도 있었던 것이다.

【발명이 이루고자 하는 기술적 과제】

<9> 이에, 본 발명은, 앨범 대지 본체에 사진을 부착하기 위한 점착제층을 형성시키고 점착제층을 형성시킨 대지 본체의 표면에 사진을 부착하고 그 외부를 간지로 덮도록 하여서 된 소위 자착식 앨범대지를 형성시키되, 본체에 형성시키는 점착제층이 대지의 표면적을 점유하는 비율을 감소시키어, 사진을 부착한 앨범 대지의 여백에 설명 등의 메모를 할 수 있게 하며, 앨범 대지 본체의 표면부에 설치하는 간지는 그 표면에 이형제층을 형성시키되, 이형제층을 형성시킨 간지의 표면을 망상의 돌조가 형성된 로울러로 압착하여 간지의 표면에 다수의 요홈부를 형성시킴으로써 간지의 돌출 표면적을 감소시켜 간지가 앨범 대지로부터 용이하게 이탈될 수 있게 하여 간지를 종이로도 형성시킬 수 있게 함으로써 앨범 대지가 환경친화적인 제품으로 제조될 수 있게 하고, 각각의 앨범대지 사이에 하나의 간지만을 설치시킴으로써 앨범의 제조원가를 낮출 수 있게 하였는 바, 이와 같은 본 발명을 상세히 설명하면 다음과 같다.

**【발명의 구성 및 작용】**

- <10> 본 발명은, 앨범 대지 본체(1)에 사진, 복사지, 신문, 잡지 기타 기록물(가)을 부착하기 위한 점착제층(11)을 형성시키고 점착제층(11)을 형성시킨 대지 본체(1)의 표면에 사진 등의 기록물(가)을 부착하고 그 외부를 간지(2)로 덮도록 하여서 된 소위 자착식 앨범대지를 형성시키되, 본체(1)에 형성시키는 점착제층(11)이 대지의 표면적을 점유하는 비율을 감소시키게 하는 것을 제1의 요소로 한다.
- <11> 본체의 표면에 형성시키는 점착제층(11)은 첫째, 이에 부착하는 사진 등의 기록물(가)을 견고히 잡아주어야 하며, 둘째, 그 위에 덮는 간지(2) 또한 이를 굳건히 부착시켜야 하고, 셋째로, 사진을 교체하기 위하여는 사진이나 간지가 용이하게 탈거될 수 있어야 한다. 이와 같은 목적을 달성시키기 위하여, 종래에는 대지 본체(1) 표면에 형성시키는 점착제층(11)을 평행한 선의 모양으로 비교적 촘촘히 인쇄하여 형성시켜 왔다.
- <12> 그런데 이와 같은 종래의 앨범 대지 본체는 점착제의 도포 부위가 조밀하여 사진을 부착하고 난 여백에 글씨를 쓰기가 불편하였고, 그리하여 아예 종래의 자착식 앨범에 있어서는 사진 첨부 여백에 글씨를 쓰는 일이 예상되지 아니하였다.
- <13> 이에 본 발명은 사진 등의 기록물이나 간지를 점착하기 위한 점착제를 도포하되 그 도포면적을 감소시켜 사진 첨부 여백에 글씨를 쓰는 일이 가능하게 하였는 바, 이러한 일은 비교적 강력한 점착력을 가진 점착제의 선택으로 가능함을 알게 되었다.
- <14> 그리하여 본 발명자는 본 발명의 대지 본체를 구성시키기 위한 점착제로서 EZ-7022(상품명; 주식회사 내쇼날 스타치, 충남 천안시 성남면 용원리 258-6)을 선택하고, 이를 대지 표면적의 2~7% 면적에 도포하여 대지를 형성시킴으로써 사진 등을 첨부한 여백에 메모를 할 수 있



게 됨을 알았다. 점착제의 점착 강도가 큰 경우 점착제의 도포 면적을 더욱 감소시킬 수 있을 것으로 판단된다.

<15> 이와 같은 점착제를 대지 본체에 도포하는 형태는, 선형의 점착제층 인쇄 또는 점이나 원반모양의 점착제층 인쇄 중 어느 것이나 임의로 선택될 수 있다. 점착제층(11)은 사진을 첨부하는 외에 간지(2) 또한 이를 부착하여야 함으로 사진 첨부 위치 외의 위치에도 도포 형성되어야 한다. 이는 종래의 자착식 앨범과 동일하다.

<16> 종래에 있어서는, 자착식 앨범의 경우 점착제층의 점착력이 비교적 미약하여 사진을 첨부하여 부착하는 능력이 부족함으로, 사진을 부착하고 난 후 그 위를 투명한 합성수지 필름으로 된 커버를 설치하지 않으면 첨부한 사진이 쉽게 이탈되는 결점이 있었으나, 본 발명의 경우와 같이, 그 점착제의 점착력이 강하게 되면 사진 등의 첨부물이 이탈되지 아니하여 투명한 커버의 부착을 필요로 하지 아니하며, 단지 점착제층(11)의 보호를 위한 간지(2)를 필요로 하게 될 뿐이다.

<17> 그리고, 앨범 대지 본체(1)의 표면부에 설치하는 간지(2)는 그 표면에 이형제층(21)을 형성시키되, 이형제층(21)을 형성시킨 간지(2)의 표면은 이를 망상의 돌조가 형성된 로울러로 압착하여 간지의 표면에 다수의 요홈부(22)를 형성시킴으로써 간지(2)의 돌출 표면적을 감소시켜 간지(2)가 앨범 대지 본체(1)로부터 용이하게 이탈될 수 있게 하는 것이 바람직하다. 간지(2)가 점착제층(11)에 부착되어야 할 이유가 없기 때문이다. 오직 용이한 박리가 더욱 바람직한 일이다. 종이에 이형제층(21)을 형성시키는 기술은 이미 공지된 것이므로 여기에 그 상세한 설명을 생략한다.

**【발명의 효과】**

- <18> 이와 같이하여 제조된 본 발명의 앨범용 대지는 본체(1)로부터 간지(2)를 이탈시키고, 사진 등의 기록물(가)을 부착시킨 후, 사진 첨부 여백에 설명문 등 임의의 내용을 메모할 수 있게 된다. 이는 본체(1)의 표면에 형성된 점착제층(11)의 표면적이 적기 때문에 가능한 일이다. 점착제층(11)을 피하여 글씨를 쓰는 일이 가능할 뿐 아니라, 점착제층(11)의 표면적이 적어 점착제층(11)에 걸쳐서도 글씨를 쓸 수 있게 된다.
- <19> 사진을 부착하고 난 여백의 점착제층(11)은 간지(2)에 의하여 보호된다. 이러한 간지(2)는 비록 그것을 반투명의 종으로 형성시키더라도 사진 등의 기록물(가)을 감상하는 경우, 간지(2)를 제키고 감상하게된다. 이는 투명한 필름으로 된 커버를 씌운 종래의 자착식 앨범과 구별되는 중요한 차이이다. 본 발명의 경우에 있어서는, 간지(2)를 제키더라도 사진이 이탈되지 아니하기 때문이다.
- <20> 또한 본 발명은 그 간지(2)를 종으로 형성시켜 앨범을 폐기할 경우 재활용이 가능할 뿐 아니라 생분해가 용이하여 자연을 훼손하는 정도를 감소시킬 수 있으며, 간지의 설치매수를 감소시켜 제조원가를 절감시킬 수 있다.

**【특허청구범위】****【청구항 1】**

앨범 대지 본체(1)에 사진(가)을 부착하기 위한 점착제층(11)을 형성시키고 점착제층(11)을 형성시킨 대지 본체(1)의 표면에 사진(가)을 부착하고 그 외부를 간지(2)로 덮도록 하여서 된 것에 있어서, 본체(1)의 표면에 형성시키는 점착제층(11)을 대지 본체(1) 표면적의 2~7%에 도포하여 형성시키고, 앨범 대지 본체(1)의 표면부에 설치하는 간지(2)는 그 표면에 이형제층(21)을 형성시켜서 된 것임을 특징으로 하는 앨범 대지.


【청구항 2】


제1항에 있어서, 이형제층(21)을 형성시킨 간지(2)는 그 표면을 망상의 돌조가 형성된 로울러로 압착하여 간지(2)의 표면에 다수의 요홈부(22)를 형성시켜서 된 것임을 특징으로 하는 앨범 대지.



【도면】

【도 1】






1020030004556

출력 일자: 2004/1/26

【도 2】



KOREAN INTELLECTUAL
PROPERTY OFFICE

This is to certify that the following application annexed hereto is a true copy from the records of the Korean Intellectual Property Office.

Application Number : Patent Application No. 10-2003-0004556

Date of Application : January 23, 2003

Applicant : Kim, Dong

January 20, 2004

COMMISSIONER of the
KOREAN INTELLECTUAL PROPERTY OFFICE
(Seal)

【Application Bibliography】

【Kind of Document】 Patent Application
【Kind of Industrial Property】 Patent
【Receiving Office】 Commissioner of Korean Intellectual Property Office
【Filing Date】 January 23, 2003
【Title of Invention】 Pasteboard for Album
【Title of Invention in English】 Pasteboard for Album
【Applicant】
 【Name】 Kim, Dong
 【Applicant's code】 4-1995-051257-2
【Agent】
 【Name】 LEE, Chong-Wan
 【Agent's code】 9-1998-000320-3
 【General Power of Attorney Reg. No.】 2003-004527-1
【Inventor】
 【Name】 Kim, Dong
 【Applicant's code】 4-1995-051257-2

The under signed agent of the above identified applicant requests that the present application be processed according to the provision of Article 42 of Patent Law.

Agent LEE, Chong-Wan (Seal)

【Official Fees】	Korean currency
【Basic Filing Fee】 10 pages	29,000
【Additional fees】	0
【Fees for Priority Claims】	0
【Request for Examination】	0
【Total】	29,000
【Reduction】 Individual(reduced70%)	
【Official fees after reduction】	8,700

【Attached Documents】
1. Abstract, Specification(Drawings) 1 set

MOUNTING SHEET FOR PHOTO ALBUM

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to a mounting sheet for use in a photo album wherein an interleave is interposed between two mounting sheets adjacent thereto. More particularly, the present invention relates to a mounting sheet for use in a self adhesive photo album of the type wherein an adhesive layer for the attachment of a photograph is formed at either surface of each mounting sheet, and an interleaf is provided to cover the adhesive layer including a photograph attached thereto.

Description of the Related Art

In the prior art a conventional self adhesive photo album is currently used in such a fashion that a photograph is attached to an adhesive layer formed at either surface of each mounting sheet, and is covered with a transparent cover sheet, allowing a person to appreciate the photograph through the transparent cover sheet. Although this type of photo album is very convenient in view of attachment and detachment of photographs as well as appreciation thereof, it has a disadvantage in that, since the adhesive layer is densely

formed throughout the whole surface of the mounting sheet, it is difficult to write something on the mounting sheet even if there remains a margin around the photograph after attachment. Moreover, even the transparent cover sheet has a difficulty in writing since it is made of a transparent synthetic resin. In addition to this difficulty, the conventional self adhesive photo album is disadvantageously high in manufacturing costs as a result of providing the transparent cover sheet at each surface of the respective mounting sheets, and the use of synthetic resin causes an environmental contamination problem in disposal thereof.

SUMMARY OF THE INVENTION

Therefore, the present invention has been made in view of the above problems, and it is an object of the present invention to provide a mounting sheet for use in a self adhesive photo album of the type wherein an adhesive layer for the attachment of a photograph is formed at either surface of each mounting sheet, and an interleaf is provided to cover the adhesive layer including a photograph attached thereto, the adhesive layer being applied in such a fashion that it occupies only a predetermined range smaller than the overall surface area of the mounting sheet, thereby enabling a person to freely write certain explanations or memos related to the

photograph in the margin around the photograph after attachment.

It is another object of the present invention to provide a mounting sheet for use in a photo album of the type wherein an interleaf, interposed between two mounting sheets adjacent thereto, is formed at both surfaces thereof with release layers, respectively, and both the release layers are uniformly formed with a plurality of recesses as they are compressed with a roller having a plurality of protruded portions arranged in a lattice pattern, thereby achieving a reduction in the area of the interleaf coming into contact with the mounting sheets, and consequently ensuring that the interleaf can be easily peeled away from the mounting sheets adjacent thereto.

It is a further object of the present invention to provide a mounting sheet for use in a photo album of the type wherein an interleaf, interposed between two mounting sheets adjacent thereto, is simply fabricated by making use of a paper sheet, resulting in eco-friendly products.

It is yet another object of the present invention to provide a mounting sheet for use in a photo album of the type wherein only one interleaf is interposed between two mounting sheets adjacent thereto, resulting in a reduction in the total number of the interleaves and thus manufacturing costs of the photo album.

BRIEF DESCRIPTION OF THE DRAWINGS

The above and other objects, features and other advantages of the present invention will be more clearly understood from the following detailed description taken in conjunction with the accompanying drawings, in which:

Fig. 1 is an exploded perspective view illustrating a mounting sheet, and an interleaf to be interposed between two mounting sheets adjacent thereto in accordance with the present invention; and

Fig. 2 is an enlarged sectional view illustrating the interleaf in accordance with the present invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

Reference will now be made in greater detail to a preferred embodiment of the invention, an example of which is illustrated in the accompanying drawings.

The present invention provides a mounting sheet for use in a so-called self adhesive photo album. The self adhesive photo album comprises mounting sheets 1, and interleaves 2 interposed between the adjacent mounting sheets 1, respectively. Each mounting sheet 1 is formed at its either surface with an adhesive layer 11 for the attachment of various documents, such as photographs, copies, newspaper clippings,

magazine clippings, etc., designated as reference letter (가), and each interleaf 2 is adapted to cover the above documents attached to the adhesive layer 11 formed at either surface of the mounting sheet 1. According to a primary technical feature of the present invention, the adhesive layer 11 occupies only a predetermined range smaller than the overall surface of the mounting sheet 1.

The adhesive layer 11 formed at the surface of the mounting sheet 1 has an adhesive force sufficient to firmly hold the interleaf 2 covering it as well as a photograph attached thereto, while ensuring easy detachment of the interleaf 2 and photograph for the convenient exchange of the photograph. In the prior art, in order to satisfy this requirement, an adhesive layer is printed at the surface of a mounting sheet in the form of a plurality of parallel lines closely spaced apart from each other.

In case of this conventional photo album, it is very inconvenient to write something on the mounting sheet since the adhesive lines are very closely arranged and thus there is substantially no writing possible margin after attachment of photographs. Therefore, such a conventional self adhesive photo album completely blocks writing by a person even in a margin remaining after attachment of photographs.

In the present invention, therefore, it is aimed that an adhesive layer formed at either surface of each mounting sheet

for the attachment of a photograph and interleaf occupies only a predetermined range smaller than the overall surface area of the mounting sheet, thereby enabling writing by a person in a remaining region except for the adhesive layer region. This aim is accomplished by the relatively strong adhesive force of an adhesive constituting the adhesive layer.

The inventors of the present invention selected an adhesive to be applied onto the mounting sheet, for example, EZ-7022®, which is commercially available from National Starch & Chemical LTD. located at Chung Nam, in Korea, and applied the selected adhesive to 2 to 7 percent of the surface area of the mounting sheet, thereby enabling writing by a person in a margin remaining after attachment of the photograph. It can be considered that the higher the adhesive force of the adhesive, the smaller the application area of the adhesive layer.

The application shape of the adhesive layer relative to the mounting sheet can be freely selected from among printed lines, dots or circles. As stated above, since the adhesive layer 11 is used to attach the interleaf 2 as well as a photograph, it should be applied to a region where the photograph will not be attached, similar to a conventional self adhesive photo album.

In case of the conventional self adhesive photo album, however, since an adhesive layer thereof has a relatively low adhesive force and is insufficient in its ability to firmly

hold a photograph attached thereto, in order to prevent the attached photograph from being unintentionally detached from the mounting sheet, a cover sheet made of a transparent synthetic resin film must be provided to cover the attached photograph and continuously maintain the attached state of the photograph. In the present invention, by virtue of forming the adhesive layer 11 with an adhesive having a high adhesive force sufficient to firmly hold the attached photograph, such a requirement of the conventional transparent cover sheet can be eliminated. Simply, there is provided the interleaf 2 for the purpose of protecting the adhesive layer 11.

The interleaf 2, interposed between two mounting sheets 1 adjacent thereto, is formed at both surfaces thereof with release layers 21, respectively. Both the surfaces of the interleaf 21, more particularly, both the release layers 21 are compressed with a roller, which has a plurality of protruded portions arranged in a lattice pattern. As a result, the interleaf 2 is preferably formed at both the surfaces thereof with a plurality of recesses 22. These recesses 22 serve to reduce the area of the interleaf 2, which will come into contact with the mounting sheet 1, thereby allowing the interleaf 2 to be easily peeled away from the mounting sheet 1. In general, the attachment of the interleaf 2 to the mounting sheet 1 is not an essential requirement, and it is more preferable to ensure such easy detachment of the interleaf 2

from the mounting sheet 1. A technique used for the formation of the release layers 21 on the interleaf made of a paper sheet is well known, and its detail description will be omitted herein.

5 As apparent from the above description, the present invention provides a mounting sheet for use in a photo album, which enables a person to freely write certain explanations or memos related to a photograph in a margin region of the mounting sheet remaining after attachment of the photograph.
10 This is accomplished by virtue of the fact that an adhesive layer for the attachment of the photograph occupies only a predetermined range smaller than the overall surface of the mounting sheet. The mounting sheet of the present invention, therefore, enables writing by a person in a region where the
15 adhesive layer is not formed, and even on the adhesive layer region.

 Further, according to the present invention, the interleaf, made of a semi-transparent material, can serve to protect the adhesive layer exposed to the outside around the
20 attached photograph, while ensuring that a person can easily peel the interleaf from the mounting sheet, in consideration of the clear appreciation of photographs. Such an interleaf can be made of a paper sheet, and this is an important improvement compared to a cover sheet made of a transparent
25 synthetic resin film for use in a conventional self adhesive

photo album. In the disposal thereof, therefore, the interleaf
can be recycled while minimizing environmental contamination by
virtue of its easy biodegradation property. In addition,
through the use of such an interleaf, it is possible to reduce
5 manufacturing costs of the photo album according to a reduction
in the total number of the interleaves.

Although the preferred embodiments of the present
invention have been disclosed for illustrative purposes, those
skilled in the art will appreciate that various modifications,
10 additions and substitutions are possible, without departing
from the scope and spirit of the invention as disclosed in the
accompanying claims.

WHAT IS CLAIMED IS:

1. A mounting sheet for use in a photo album of the type wherein an adhesive layer for the attachment of a photograph
5 is formed at either surface of each mounting sheet, and an interleaf is interposed between two mounting sheets adjacent thereto for covering the adhesive layer including a photograph attached thereto, wherein:

the adhesive layer is applied to 2 to 7 percent of the
10 surface area of the mounting sheet; and

the interleaf has release layers formed at both surfaces thereof, respectively.

2. The mounting sheet as set forth in claim 1, wherein
15 the interleaf formed with the release layers is compressed with a roller having a plurality of protruded portions arranged in a lattice pattern, resulting in a plurality of recesses at both the surfaces thereof.

ABSTRACT OF THE DISCLOSURE

Disclosed herein is a mounting sheet for use in a photo album of the type wherein an adhesive layer for the attachment of a photograph is formed at either surface of each mounting sheet, and an interleaf is interposed between two mounting sheets adjacent thereto for covering the adhesive layer including a photograph attached thereto. The adhesive layer formed at the mounting sheet is composed of an adhesive having a relatively high adhesive force, thereby reducing an occupation area of the adhesive layer required to firmly hold the attached photograph, and consequently securing a writing possible margin remaining after formation of the adhesive layer. Further, the interleaf is formed at both surfaces thereof with release layers, respectively, and both the release layers are formed with a plurality of recesses as they are compressed with a roller having a plurality of protruded portions arranged in a lattice pattern, thereby achieving a reduction in the area of the interleaf coming into contact with the mounting sheet, and consequently ensuring that the interleaf can be easily peeled away from the mounting sheets adjacent thereto. The interleaf can be made of eco-friendly materials.